Reply to Final Office Action dated Sept. 12, 2005

APPENDIX: Clean Version of Claims for the Benefit of the Examiner

- 1. (Currently Amended) A method for importing data from an origin to a destination, the method comprising:
 - identifying data to be imported, over a network, from the origin to the destination, the destination associated with a customer relationship application;
 - identifying a set of predetermined rules associated with the customer relationship application;
 - associating at least one user-specified function with the identified data, the at least one user-specified function capable of transforming at least a portion of the identified data;
 - importing the identified data from the origin to the destination utilizing the network in accordance with the set of predetermined rules, wherein the act of importing includes:
 - mapping first fields for the data in the origin to second fields for the destination, translating first field names of the mapped first fields to second field names of the second fields, and
 - transforming at least a portion of the identified data from the origin to the destination using the at least one user-specified function; and making the imported data accessible to the customer relationship application, wherein the mapping and translating are customizable by the user such that the second field names and the second fields are customizable by the user.
- 2. (Previously Presented) The method as recited in claim 1, wherein a service application for importing the data is generated based on the rules.
- 3. (Previously Presented) The method as recited in claim 2, wherein the service application runs periodically at user-defined intervals.

Reply to Final Office Action dated Sept. 12, 2005

- 4. (Original) The method as recited in claim 1, wherein the predetermined rules are specified based on user interaction with an application creation program.
- 5. (Cancelled)
- 6. (Currently Amended) The method as recited in claim 1, wherein the at least one user-specified function comprises at least one user-created scripting function selected from the group consisting of a VBScript function or a JavaScript function.
- 7. (Original) The method as recited in claim 1, further comprising exporting data from the customer relationship application utilizing the network.
- 8. (Original) The method as recited in claim 1, wherein the rules relate to at least one of referential integrity, required fields, and automatic sequence numbering.
- 9. (Currently Amended) A computer program product for importing data from an origin to a destination, the computer program comprising:
 - computer code for identifying data, over a network, to be imported from the origin to the destination, the destination associated with a customer relationship application;
 - computer code for identifying a set of predetermined rules associated with the customer relationship application;
 - computer code for associating at least one user-specified function with the identified data, the at least one user-specified function capable of transforming at least a portion of the identified data:
 - computer code for importing the identified data from the origin to the destination utilizing the network in the accordance with the set of predetermined rules, wherein the computer coder for importing includes:
 - computer code for mapping first fields for the data in the origin to second fields for the destination,

Reply to Final Office Action dated Sept. 12, 2005

- computer code for translating first field names of the mapped first fields to second field names of the second fields, and
- computer code for transforming at least a portion of the identified data from the origin to the destination using the at least one user-specified function; and
- computer code for making the imported data accessible to the customer relationship application,
- wherein the mapping and translating are customizable by the user such that the second field names and the second fields are customizable by the user.
- 10. (Currently Amended) A system for importing data from an origin to a destination, the system comprising:
 - logic for identifying data, over a network, to be imported from the origin to the destination, the destination associated with a customer relationship application;
 - logic for identifying a set of predetermined rules associated with the customer relationship application;
 - logic for associating at least one user-specified function with the identified data, the at least one user-specified function capable of transforming at least a portion of the identified data;
 - logic for importing the identified data from the origin to the destination utilizing the network in accordance with the set of predetermined rules, wherein the logic for importing includes:
 - logic for mapping first fields for the data in the origin to second fields for the destination.
 - logic for translating first field names of the mapped first fields to second field names of the second fields, and
 - logic for transforming at least a portion of the identified data from the origin to the destination using the at least one user-specified function; and logic for making the imported data accessible to the customer relationship application, wherein the mapping and translating are customizable by the user such that the second field names and the second fields are customizable by the user.

Reply to Final Office Action dated Sept. 12, 2005

11. (Currently Amended) A method for exporting data from an origin to a destination, the method comprising:

- identifying data, over a network, to be exported from the origin to the destination, the identified data accessible to a customer relationship application associated with the origin;
- identifying a set of predetermined rules associated with the customer relationship application;
- associating at least one user-specified function with the identified data, the at least one user-specified function capable of transforming at least a portion of the identified data; and
- exporting the identified data from the origin to the destination utilizing the network in accordance with the set of predetermined rules, wherein the act of exporting includes:
 - mapping first fields for the data in the origin to second fields for the destination, translating first field names of the mapped first fields to second field names of the second fields, and
 - transforming at least a portion of the identified data from the origin to the destination using the at least one user-specified function,
- wherein the mapping and translating are customizable by the user such that the second field names and the second fields are customizable by the user.
- 12. (Original) The method as recited in claim 11, wherein a service application for exporting the data is generated based on the rules.
- 13. (Original) The method as recited in claim 12, wherein the service application runs periodically at user-defined intervals.
- 14. (Original) The method as recited in claim 11, wherein the predetermined rules are specified based on user interaction with a service application creation program.

Reply to Final Office Action dated Sept. 12, 2005

15. (Cancelled)

- 16. (Currently Amended) The method as recited in claim 11, wherein the at least one user-specified function comprises at least one user-created scripting function selected from the group consisting of a VBScript function or a JavaScript function.
- 17. (Original) The method as recited in claim 11, further comprising importing data to the customer relationship application utilizing the network.
- 18. (Original) The method as recited in claim 11, wherein the rules relate to at least one of referential integrity, required fields, and automatic sequence numbering.
- 19. (Currently Amended) A computer program product for exporting data from an origin to a destination, the computer program comprising:
 - computer code for identifying data, over a network, to be exported from the origin to the destination, the identified data accessible to a customer relationship application associated with the origin;
 - computer code for identifying a set of predetermined rules associated with the customer relationship application;
 - computer code for associating at least one user-specified function with the identified data, the at least one user-specified function capable of transforming at least a portion of the identified data; and
 - computer code for exporting the identified data from the origin to the destination utilizing the network in accordance with the set of predetermined rules, wherein the computer code for exporting includes:
 - computer code for mapping first fields for the data in the origin to second fields for the destination,
 - computer code for translating first field names of the mapped first fields to second field names of the second fields, and

11/28/2005 11:09 8324462424 WONG CABELLO PAGE 22

Appl. No.: 09/945,413 Amdt. Dtd. Nov. 28, 2005

Reply to Final Office Action dated Sept. 12, 2005

computer code for transforming at least a portion of the identified data from the origin to the destination using the at least one user-specified function, wherein the mapping and translating are customizable by the user such that the second field names and the second fields are customizable by the user.

- 20. (Currently Amended) A system for exporting data from an origin to a destination, the system comprising:
 - logic for identifying data, over a network, to be exported from the origin to the destination, the identified data accessible to a customer relationship application associated with the origin;
 - logic for identifying a set of predetermined rules associated with the customer relationship application;
 - logic for associating at least one user-specified function with the identified data, the at least one user-specified function capable of transforming at least a portion of the identified data; and
 - logic for exporting the identified data from the origin to the destination utilizing the network in accordance with the set of predetermined rules, wherein the logic for exporting includes:
 - logic for mapping first fields for the data in the origin to second fields for the destination,
 - logic for translating first field names of the mapped first fields to second field names of the second fields, and
 - logic for transforming at least a portion of the identified data from the origin to the destination using the at least one user-specified function.
 - wherein the mapping and translating are customizable by the user such that the second field names and the second fields are customizable by the user.

21-43. (Cancelled)